

# HPE Aruba Networking 500H Series Unified Hospitality Access Points



## What's new

- Cost-effective Wi-Fi 6 hospitality access points provide up to 1.49 Gbps maximum combined data rate with a range of connectivity options for venues such as hotels, residence halls, and remote offices
- The AP provides supports for OFDMA for enhanced multi-user efficiency, and WPA3 and Enhanced Open for greater security

## Overview

HPE Aruba Networking 500H Series Hospitality Access Points deliver cost-effective Wi-Fi 6 coverage in a compact form factor that is ideal for hotels, residence halls, and remote offices. With 1.49 Gbps maximum combined speed, zero touch provisioning (ZTP), and wired ports, the 500H series is ready to improve wireless experiences for guests, employees, students, and teleworkers.

The 500H series is Wi-Fi CERTIFIED® and supports 802.11ax features; orthogonal frequency-division multiple access (OFDMA) for multi-user efficiency, target wake time (TWT) to extend the battery life of connected

- The AP provides IoT-ready Bluetooth 5 and Zigbee support
- Dynamic segmentation and policy enforcement firewalls (PEFs) automatically enforce consistent policies across the network, enhancing user and device security
- Zero touch provisioning (ZTP) provides ease of implementation in branch offices and remote sites, without on-site technical expertise
- You can customize deployment with optional desktop stand and models that offer choice of wired connectivity, USB, and PoE out support

Internet of Things (IoT) devices, and WPA3 and Enhanced Open (OWE) for greater password and guest security. The 500H series includes a limited lifetime warranty.

## Features

### Wi-Fi 6 Performance for Hotels, Dorms, and Remote Offices

HPE Aruba Networking 500H Series Unified Hospitality Access Points deliver a maximum combined data rate of 1.49 Gbps with 2 spatial streams to meet the needs of low and medium density environments.

The AP provides Wi-Fi CERTIFIED® with support for Wi-Fi 6 features such as OFDMA, MU-MIMO, and target wait time (TWT) to drive improved efficiency. It handles multiple Wi-Fi 6 capable clients on each channel simultaneously, regardless of device or traffic type.

Enhanced wireless experience with HPE Aruba Networking ClientMatch technology removes sticky client issues by steering a client to the AP where it receives a strong radio signal.

### Flexible Deployment and Unified Management

The HPE Aruba Networking 500H Series Unified Hospitality Access Points can be installed on a wall for hotel or residence hall environments or installed with optional desktop stand for tabletop deployment.

The AP manages with HPE Aruba Networking Central, an AI-powered solution that simplifies IT operations, improves agility, and reduces costs by unifying management of campus, branch, remote, data center, and IoT networks from one dashboard.

The AP-503H model has three 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). The AP-505H model has five Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink), supports PoE out on two ports, and includes a USB port.

Product bundles for remote desktop use include access point, desk mount, power adapter, and power cord (US and EU only).

Zero touch provisioning (ZTP) provides ease of implementation in branch offices and remote sites, without on-site technical expertise.

### Ready for IoT

The HPE Aruba Networking 500H Series Unified Hospitality Access Points support Bluetooth 5 and Zigbee wireless protocols through an integrated IoT radio. The AP-505H model also has an integrated USB port to support a range of IoT devices.

The AP simplifies deploying and managing IoT location services, asset-tracking services, security solutions, and IoT sensors.

HPE Aruba Networking Central client insights uses deep packet inspection to provide additional context and behavioral information that help verify devices are receiving proper policy enforcement and continuously monitor for rogue devices.

### **Simple and Secure Access**

The HPE Aruba Networking 500H Series Unified Hospitality Access Points offer enhanced security with dynamic segmentation to remove time-consuming and error-prone task of managing complex and static VLANs, ACLs and subnets by dynamically assigning policies and keeping traffic protected and separated.

It offers stronger encryption and authentication with WPA3, protected credentials/keys storage for guest access with Enhanced Open, and user and IoT access policy enforcement firewalls (PEFs).

WPA3 and Enhanced Open (OWE) security increases enterprise-level security by providing stronger guest access protections without increasing complexity.

Trusted platform module (TPM) secures credentials, keys, and boot code.

Technical specifications	HPE Aruba Networking 500H Series Unified Hospitality Access Points
--------------------------	--

<b>Deployment</b>	Hospitality Indoor
<b>Wi-Fi generation</b>	Wi-Fi 6 (802.11ax)
<b>Wi-Fi radios</b>	Dual 2 x2
<b>Radio configuration options</b>	2.4 GHz and 5 GHz
<b>Max bandwidths and peak data rate per band</b>	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps
<b>Wi-Fi antenna</b>	HPE Aruba Networking 500H Series Unified Hospitality Access Points models: AP-503H: Two integrated semi-directional antennas for 2x2 MIMO. Built-in antennas for vertical wall or desk mounted orientation of the AP. AP 505H: Two integrated semi-directional antennas for 2x2 MIMO. Built-in antennas for vertical wall or desk mounted orientation of the AP.
<b>Ultra tri-band (UTB) filtering</b>	No
<b>IoT support</b>	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A
<b>Integrated sensor</b>	No
<b>Location services</b>	802.11 FTM support
<b>Cellular support</b>	USB LTE modem (sold separately)
<b>Wired network interface</b>	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports
<b>MACsec support</b>	No
<b>AP operating system support</b>	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)
<b>AP management</b>	On-premises Public Cloud Virtual Private Cloud (VPC) as a Service

**Certifications**

Wi-Fi Alliance®:  
 Wi-Fi CERTIFIED® a, b, g, n, ac  
 Wi-Fi CERTIFIED 6 (ax)  
 WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE)  
 WMM, WMM-PS, Wi-Fi Agile Multiband  
 Wi-Fi CERTIFIED Location (AP-505H only)  
 Bluetooth SIG  
 Ethernet Alliance (PoE)

**Regulatory**

FCC/ISED  
 CE Marked  
 RED Directive 2014/53/EU  
 EMC Directive 2014/30/EU  
 Low Voltage Directive 2014/35/EU  
 UL/IEC/EN 62368-1  
 EN 60601-1-1, EN60601-1-2  
 For more country-specific regulatory information and approvals, contact your HPE representative.

**Warranty**

Limited lifetime warranty. See the warranty duration.

**Weight**

360 gm

**Product dimensions**

150 x 86 x 47 mm

**Ports**

USB 2.0 host interface (Type A connector)  
 Serial console interface (proprietary, micro-B USB physical jack)

AP-503H:  
 E0: Ethernet wired network port (RJ-45)  
 E1-E2: Ethernet wired network ports (RJ-45)

AP-505H:  
 E0: HPE Smart Rate RJ-45 port  
 E1-E4: Ethernet wired network ports (RJ-45)

## SKU comparison

	HPE Aruba Networking AP-503H (EG) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified Hospitality AP (R3V44A)	HPE Aruba Networking AP-503H (EG) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified TAA Hospitality AP (R3V45A)	HPE Aruba Networking AP-503H (ID) Dual Radio 2x2 802.11ax 1+2 Ethernet Hospitality Access Point (S5D82A)
<b>Deployment</b>	Hospitality; Indoor	Hospitality; Indoor	Hospitality; Indoor
<b>Wi-Fi generation</b>	Wi-Fi 6 (802.11ax)	Wi-Fi 6 (802.11ax)	Wi-Fi 6 (802.11ax)
<b>Wi-Fi radios</b>	Dual 2 x2	Dual 2 x2	Dual 2 x2
<b>Radio configuration options</b>	2.4 GHz and 5 GHz	2.4 GHz and 5 GHz	2.4 GHz and 5 GHz
<b>Max bandwidths and peak data rate per band</b>	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps
<b>Wi-Fi antenna</b>	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 1.7 dBi in 2.4 GHz and 5.0 dBi in 5 GHz.	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 1.7 dBi in 2.4 GHz and 5.0 dBi in 5 GHz.	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 3.3 dBi in 2.4 GHz and 2.9 dBi in 5 GHz.
<b>Ultra tri-band (UTB) filtering</b>	No	No	No
<b>IoT support</b>	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A
<b>Integrated sensor</b>	No	No	No
<b>Location services</b>	802.11 FTM support	802.11 FTM support	802.11 FTM support
<b>Cellular support</b>	USB LTE modem (sold separately)	USB LTE modem (sold separately)	USB LTE modem (sold separately)
<b>Wired network interface</b>	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports
<b>MACsec support</b>	No	No	No

	HPE Aruba Networking AP-503H (EG) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified Hospitality AP (R3V44A)	HPE Aruba Networking AP-503H (EG) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified TAA Hospitality AP (R3V45A)	HPE Aruba Networking AP-503H (ID) Dual Radio 2x2 802.11ax 1+2 Ethernet Hospitality Access Point (S5D82A)
<b>AP operating system support</b>	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)
<b>AP management</b>	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service
<b>Certifications</b>	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)
<b>Regulatory</b>	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.
<b>Warranty</b>	Limited lifetime warranty. See the warranty duration.	Limited lifetime warranty. See the warranty duration.	Limited lifetime warranty. See the warranty duration.
<b>Ports</b>	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX

	HPE Aruba Networking AP-503H (IL) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified Hospitality AP (R3V42A)	HPE Aruba Networking AP-503H (IL) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified TAA Hospitality AP (R3V43A)	HPE Aruba Networking AP-503H (JP) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified Hospitality AP (R3V40A)
<b>Deployment</b>	Hospitality; Indoor	Hospitality; Indoor	Hospitality; Indoor
<b>Wi-Fi generation</b>	Wi-Fi 6 (802.11ax)	Wi-Fi 6 (802.11ax)	Wi-Fi 6 (802.11ax)
<b>Wi-Fi radios</b>	Dual 2 x2	Dual 2 x2	Dual 2 x2
<b>Radio configuration options</b>	2.4 GHz and 5 GHz	2.4 GHz and 5 GHz	2.4 GHz and 5 GHz
<b>Max bandwidths and peak data rate per band</b>	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps
<b>Wi-Fi antenna</b>	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 1.7 dBi in 2.4 GHz and 5.0 dBi in 5 GHz.	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 1.7 dBi in 2.4 GHz and 5.0 dBi in 5 GHz.	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 1.7 dBi in 2.4 GHz and 5.0 dBi in 5 GHz.
<b>Ultra tri-band (UTB) filtering</b>	No	No	No
<b>IoT support</b>	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A
<b>Integrated sensor</b>	No	No	No
<b>Location services</b>	802.11 FTM support	802.11 FTM support	802.11 FTM support
<b>Cellular support</b>	USB LTE modem (sold separately)	USB LTE modem (sold separately)	USB LTE modem (sold separately)
<b>Wired network interface</b>	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports
<b>MACsec support</b>	No	No	No

	HPE Aruba Networking AP-503H (IL) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified Hospitality AP (R3V42A)	HPE Aruba Networking AP-503H (IL) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified TAA Hospitality AP (R3V43A)	HPE Aruba Networking AP-503H (JP) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified Hospitality AP (R3V40A)
<b>AP operating system support</b>	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)
<b>AP management</b>	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service
<b>Certifications</b>	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)
<b>Regulatory</b>	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.
<b>Warranty</b>	Limited lifetime warranty. See the warranty duration.	Limited lifetime warranty. See the warranty duration.	Limited lifetime warranty. See the warranty duration.
<b>Ports</b>	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX

	HPE Aruba Networking AP-503H (JP) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified TAA Hospitality AP (R3V41A)	HPE Aruba Networking AP-503H (RW) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified Hospitality AP (R3V36A)	HPE Aruba Networking AP-503H (RW) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified TAA Hospitality AP (R3V37A)
<b>Deployment</b>	Hospitality; Indoor	Hospitality; Indoor	Hospitality; Indoor
<b>Wi-Fi generation</b>	Wi-Fi 6 (802.11ax)	Wi-Fi 6 (802.11ax)	Wi-Fi 6 (802.11ax)
<b>Wi-Fi radios</b>	Dual 2 x2	Dual 2 x2	Dual 2 x2
<b>Radio configuration options</b>	2.4 GHz and 5 GHz	2.4 GHz and 5 GHz	2.4 GHz and 5 GHz
<b>Max bandwidths and peak data rate per band</b>	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps
<b>Wi-Fi antenna</b>	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 1.7 dBi in 2.4 GHz and 5.0 dBi in 5 GHz.	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 1.7 dBi in 2.4 GHz and 5.0 dBi in 5 GHz.	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 1.7 dBi in 2.4 GHz and 5.0 dBi in 5 GHz.
<b>Ultra tri-band (UTB) filtering</b>	No	No	No
<b>IoT support</b>	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A
<b>Integrated sensor</b>	No	No	No
<b>Location services</b>	802.11 FTM support	802.11 FTM support	802.11 FTM support
<b>Cellular support</b>	USB LTE modem (sold separately)	USB LTE modem (sold separately)	USB LTE modem (sold separately)
<b>Wired network interface</b>	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports
<b>MACsec support</b>	No	No	No

	HPE Aruba Networking AP-503H (JP) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified TAA Hospitality AP (R3V41A)	HPE Aruba Networking AP-503H (RW) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified Hospitality AP (R3V36A)	HPE Aruba Networking AP-503H (RW) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified TAA Hospitality AP (R3V37A)
<b>AP operating system support</b>	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)
<b>AP management</b>	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service
<b>Certifications</b>	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)
<b>Regulatory</b>	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.
<b>Warranty</b>	Limited lifetime warranty. See the warranty duration.	Limited lifetime warranty. See the warranty duration.	Limited lifetime warranty. See the warranty duration.
<b>Ports</b>	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX

	HPE Aruba Networking AP-503H (US) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified Hospitality AP (R3V38A)	HPE Aruba Networking AP-503H (US) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified TAA Hospitality AP (R3V39A)	HPE Aruba Networking AP-503HR (EU) with Desk Mount Power Adapter EU Power Cord Remote AP Bundle (R7G96A)
<b>Deployment</b>	Hospitality; Indoor	Hospitality; Indoor	Hospitality; Indoor
<b>Wi-Fi generation</b>	Wi-Fi 6 (802.11ax)	Wi-Fi 6 (802.11ax)	Wi-Fi 6 (802.11ax)
<b>Wi-Fi radios</b>	Dual 2 x2	Dual 2 x2	Dual 2 x2
<b>Radio configuration options</b>	2.4 GHz and 5 GHz	2.4 GHz and 5 GHz	2.4 GHz and 5 GHz
<b>Max bandwidths and peak data rate per band</b>	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps
<b>Wi-Fi antenna</b>	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 1.7 dBi in 2.4 GHz and 5.0 dBi in 5 GHz.	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 1.7 dBi in 2.4 GHz and 5.0 dBi in 5 GHz.	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 3.3 dBi in 2.4 GHz and 2.9 dBi in 5 GHz.
<b>Ultra tri-band (UTB) filtering</b>	No	No	No
<b>IoT support</b>	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A
<b>Integrated sensor</b>	No	No	No
<b>Location services</b>	802.11 FTM support	802.11 FTM support	802.11 FTM support
<b>Cellular support</b>	USB LTE modem (sold separately)	USB LTE modem (sold separately)	USB LTE modem (sold separately)
<b>Wired network interface</b>	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports
<b>MACsec support</b>	No	No	No

	HPE Aruba Networking AP-503H (US) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified Hospitality AP (R3V38A)	HPE Aruba Networking AP-503H (US) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified TAA Hospitality AP (R3V39A)	HPE Aruba Networking AP-503HR (EU) with Desk Mount Power Adapter EU Power Cord Remote AP Bundle (R7G96A)
<b>AP operating system support</b>	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)
<b>AP management</b>	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service
<b>Certifications</b>	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)
<b>Regulatory</b>	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.
<b>Warranty</b>	Limited lifetime warranty. See the warranty duration.	Limited lifetime warranty. See the warranty duration.	Limited lifetime warranty. See the warranty duration.
<b>Ports</b>	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T RJ-45 ports, auto-sensing link speed and MDI/MDX

	HPE Aruba Networking AP-503HR (US) with Desk Mount Power Adapter NA Power Cord Remote AP Bundle (R7G97A)	HPE Aruba Networking AP-505H (EG) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB Hospitality AP (R3V54A)	HPE Aruba Networking AP-505H (EGF1) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB TAA Hospitality AP (R3V55A)
<b>Deployment</b>	Hospitality; Indoor	Hospitality; Indoor	Hospitality; Indoor
<b>Wi-Fi generation</b>	Wi-Fi 6 (802.11ax)	Wi-Fi 6 (802.11ax)	Wi-Fi 6 (802.11ax)
<b>Wi-Fi radios</b>	Dual 2 x2	Dual 2 x2	Dual 2 x2
<b>Radio configuration options</b>	2.4 GHz and 5 GHz	2.4 GHz and 5 GHz	2.4 GHz and 5 GHz
<b>Max bandwidths and peak data rate per band</b>	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps
<b>Wi-Fi antenna</b>	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2dBi in 2.4GHz and 5.4dBi in 5GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 1.7dBi in 2.4GHz and 5.0dBi in 5GHz.	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 3.3 dBi in 2.4 GHz and 2.9 dBi in 5 GHz.	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 3.3 dBi in 2.4 GHz and 2.9 dBi in 5 GHz.
<b>Ultra tri-band (UTB) filtering</b>	No	No	No
<b>IoT support</b>	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A
<b>Integrated sensor</b>	No	No	No
<b>Location services</b>	802.11 FTM support	802.11 FTM support	802.11 FTM support
<b>Cellular support</b>	USB LTE modem (sold separately)	USB LTE modem (sold separately)	USB LTE modem (sold separately)
<b>Wired network interface</b>	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports
<b>MACsec support</b>	No	No	No

	HPE Aruba Networking AP-503HR (US) with Desk Mount Power Adapter NA Power Cord Remote AP Bundle (R7G97A)	HPE Aruba Networking AP-505H (EG) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB Hospitality AP (R3V54A)	HPE Aruba Networking AP-505H (EGF1) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB TAA Hospitality AP (R3V55A)
<b>AP operating system support</b>	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)
<b>AP management</b>	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service
<b>Certifications</b>	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)
<b>Regulatory</b>	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.
<b>Warranty</b>	Limited lifetime warranty. See the warranty duration.	Limited lifetime warranty. See the warranty duration.	Limited lifetime warranty. See the warranty duration.
<b>Ports</b>	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T RJ-45 ports, auto-sensing link speed and MDI/MDX	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX

	HPE Aruba Networking AP-505H (ID) Dual Radio 2x2 802.11ax 1+4 Ethernet PSE USB Hospitality AP (S5D84A)	HPE Aruba Networking AP-505H (IL) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB Hospitality AP (R3V52A)	HPE Aruba Networking AP-505H (ILF1) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB TAA Hospitality AP (R3V53A)
<b>Deployment</b>	Hospitality; Indoor	Hospitality; Indoor	Hospitality; Indoor
<b>Wi-Fi generation</b>	Wi-Fi 6 (802.11ax)	Wi-Fi 6 (802.11ax)	Wi-Fi 6 (802.11ax)
<b>Wi-Fi radios</b>	Dual 2 x2	Dual 2 x2	Dual 2 x2
<b>Radio configuration options</b>	2.4 GHz and 5 GHz	2.4 GHz and 5 GHz	2.4 GHz and 5 GHz
<b>Max bandwidths and peak data rate per band</b>	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps
<b>Wi-Fi antenna</b>	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 3.3 dBi in 2.4 GHz and 2.9 dBi in 5 GHz.	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 3.3 dBi in 2.4 GHz and 2.9 dBi in 5 GHz.	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 3.3 dBi in 2.4 GHz and 2.9 dBi in 5 GHz.
<b>Ultra tri-band (UTB) filtering</b>	No	No	No
<b>IoT support</b>	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A
<b>Integrated sensor</b>	No	No	No
<b>Location services</b>	802.11 FTM support	802.11 FTM support	802.11 FTM support
<b>Cellular support</b>	USB LTE modem (sold separately)	USB LTE modem (sold separately)	USB LTE modem (sold separately)
<b>Wired network interface</b>	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports
<b>MACsec support</b>	No	No	No

	HPE Aruba Networking AP-505H (ID) Dual Radio 2x2 802.11ax 1+4 Ethernet PSE USB Hospitality AP (S5D84A)	HPE Aruba Networking AP-505H (IL) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB Hospitality AP (R3V52A)	HPE Aruba Networking AP-505H (ILF1) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB TAA Hospitality AP (R3V53A)
<b>AP operating system support</b>	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)
<b>AP management</b>	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service
<b>Certifications</b>	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)
<b>Regulatory</b>	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.
<b>Warranty</b>	Limited lifetime warranty. See the warranty duration.	Limited lifetime warranty. See the warranty duration.	Limited lifetime warranty. See the warranty duration.
<b>Ports</b>	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX

	HPE Aruba Networking AP-505H (JP) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB Hospitality AP (R3V50A)	HPE Aruba Networking AP-505H (JPF1) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB TAA Hospitality AP (R3V51A)	HPE Aruba Networking AP-505H (RW) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB Hospitality AP (R3V46A)
<b>Deployment</b>	Hospitality; Indoor	Hospitality; Indoor	Hospitality; Indoor
<b>Wi-Fi generation</b>	Wi-Fi 6 (802.11ax)	Wi-Fi 6 (802.11ax)	Wi-Fi 6 (802.11ax)
<b>Wi-Fi radios</b>	Dual 2 x2	Dual 2 x2	Dual 2 x2
<b>Radio configuration options</b>	2.4 GHz and 5 GHz	2.4 GHz and 5 GHz	2.4 GHz and 5 GHz
<b>Max bandwidths and peak data rate per band</b>	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps
<b>Wi-Fi antenna</b>	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 3.3 dBi in 2.4 GHz and 2.9 dBi in 5 GHz.	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 3.3 dBi in 2.4 GHz and 2.9 dBi in 5 GHz.	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 3.3 dBi in 2.4 GHz and 2.9 dBi in 5 GHz.
<b>Ultra tri-band (UTB) filtering</b>	No	No	No
<b>IoT support</b>	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A
<b>Integrated sensor</b>	No	No	No
<b>Location services</b>	802.11 FTM support	802.11 FTM support	802.11 FTM support
<b>Cellular support</b>	USB LTE modem (sold separately)	USB LTE modem (sold separately)	USB LTE modem (sold separately)
<b>Wired network interface</b>	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports
<b>MACsec support</b>	No	No	No

	HPE Aruba Networking AP-505H (JP) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB Hospitality AP (R3V50A)	HPE Aruba Networking AP-505H (JPF1) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB TAA Hospitality AP (R3V51A)	HPE Aruba Networking AP-505H (RW) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB Hospitality AP (R3V46A)
<b>AP operating system support</b>	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)
<b>AP management</b>	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service
<b>Certifications</b>	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)
<b>Regulatory</b>	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.
<b>Warranty</b>	Limited lifetime warranty. See the warranty duration.	Limited lifetime warranty. See the warranty duration.	Limited lifetime warranty. See the warranty duration.
<b>Ports</b>	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX

	HPE Aruba Networking AP-505H (RWF1) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB TAA Hospitality AP (R3V47A)	HPE Aruba Networking AP-505H (US) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB Hospitality AP (R3V48A)	HPE Aruba Networking AP-505H (USF1) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB TAA Hospitality AP (R3V49A)
<b>Deployment</b>	Hospitality; Indoor	Hospitality; Indoor	Hospitality; Indoor
<b>Wi-Fi generation</b>	Wi-Fi 6 (802.11ax)	Wi-Fi 6 (802.11ax)	Wi-Fi 6 (802.11ax)
<b>Wi-Fi radios</b>	Dual 2 x2	Dual 2 x2	Dual 2 x2
<b>Radio configuration options</b>	2.4 GHz and 5 GHz	2.4 GHz and 5 GHz	2.4 GHz and 5 GHz
<b>Max bandwidths and peak data rate per band</b>	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps
<b>Wi-Fi antenna</b>	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 3.3 dBi in 2.4 GHz and 2.9 dBi in 5 GHz.	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 3.3 dBi in 2.4 GHz and 2.9 dBi in 5 GHz.	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 3.3 dBi in 2.4 GHz and 2.9 dBi in 5 GHz.
<b>Ultra tri-band (UTB) filtering</b>	No	No	No
<b>IoT support</b>	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A
<b>Integrated sensor</b>	No	No	No
<b>Location services</b>	802.11 FTM support	802.11 FTM support	802.11 FTM support
<b>Cellular support</b>	USB LTE modem (sold separately)	USB LTE modem (sold separately)	USB LTE modem (sold separately)
<b>Wired network interface</b>	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports
<b>MACsec support</b>	No	No	No

	HPE Aruba Networking AP-505H (RWF1) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB TAA Hospitality AP (R3V47A)	HPE Aruba Networking AP-505H (US) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB Hospitality AP (R3V48A)	HPE Aruba Networking AP-505H (USF1) Dual Radio 802.11ax 2x2 1+4 Ethernet PSE USB TAA Hospitality AP (R3V49A)
<b>AP operating system support</b>	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)
<b>AP management</b>	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service
<b>Certifications</b>	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3-Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)
<b>Regulatory</b>	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.	FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.
<b>Warranty</b>	Limited lifetime warranty. See the warranty duration.	Limited lifetime warranty. See the warranty duration.	Limited lifetime warranty. See the warranty duration.
<b>Ports</b>	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX	1 x 10/100/1000BASE-T RJ-45 port, auto-sensing link speed and MDI/MDX 4 x 10/100/1000BASE-T (RJ-45) ports, auto-sensing link speed and MDI/MDX

	HPE Aruba Networking AP-505HR (EU) Remote AP Bundle Desk Mount and Power Hospitality Access Point (R3V56A)	HPE Aruba Networking AP-505HR (US) Remote AP Bundle Desk Mount and Power Hospitality Access Point (R3V57A)
<b>Deployment</b>	Hospitality; Indoor	Hospitality; Indoor
<b>Wi-Fi generation</b>	Wi-Fi 6 (802.11ax)	Wi-Fi 6 (802.11ax)
<b>Wi-Fi radios</b>	Dual 2 x2	Dual 2 x2
<b>Radio configuration options</b>	2.4 GHz and 5 GHz	2.4 GHz and 5 GHz
<b>Max bandwidths and peak data rate per band</b>	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps	20/40 (2.4 GHz), 20/40/80 (5 GHz), maximum peak data rate 1.49 Gbps
<b>Wi-Fi antenna</b>	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 3.3 dBi in 2.4 GHz and 2.9 dBi in 5 GHz.	Two integrated semi-directional antennas for 2x2 MIMO with peak single antenna gain of 5.2 dBi in 2.4 GHz and 5.4 dBi in 5 GHz. Built-in antennas are optimized for vertical wall or desk mounted orientation of the AP. Combining the patterns of each of the antennas of the MIMO radios, the peak gain of the combined, average pattern is 3.3 dBi in 2.4 GHz and 2.9 dBi in 5 GHz.
<b>Ultra tri-band (UTB) filtering</b>	No	No
<b>IoT support</b>	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A	AP-503H: IEEE 802.15.4/Zigbee or BLE 5.0 AP-505H: IEEE 802.15.4/Zigbee or BLE 5.0, USB 2.0 type A
<b>Integrated sensor</b>	No	No
<b>Location services</b>	802.11 FTM support	802.11 FTM support
<b>Cellular support</b>	USB LTE modem (sold separately)	USB LTE modem (sold separately)
<b>Wired network interface</b>	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports	AP-503H: 3x 1 Gbps Ethernet ports (1x 1 Gbps uplink, 2x 1 Gbps downlink). AP-505H: 5x Ethernet ports (1x 2.5 Gbps uplink, 4x 1 Gbps downlink). It supports PoE out on two ports
<b>MACsec support</b>	No	No
<b>AP operating system support</b>	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)	HPE Aruba Networking Operating System and HPE Aruba Networking Instant OS 8.7.1.0 (AP-503H) and 8.7.0.0 (AP-505H), HPE Aruba Networking Operating System 10.3.0.0 (AP-503H), 10.2.0.0 (AP-505H)
<b>AP management</b>	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service	On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service
<b>Certifications</b>	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3–Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)	WiFi Alliance®: Wi-Fi CERTIFIED® a, b, g, n, ac Wi-Fi CERTIFIED 6 (ax) WPA, WPA2 and WPA3–Enterprise with CNSA option, Personal (SAE), Enhanced Open (OWE) WMM, WMM-PS, Wi-Fi Agile Multiband Wi-Fi CERTIFIED Location (AP-505H only) Bluetooth SIG Ethernet Alliance (PoE)

**HPE Aruba Networking AP-505HR (EU)  
Remote AP Bundle Desk Mount and Power  
Hospitality Access Point (R3V56A)**

**HPE Aruba Networking AP-505HR (US)  
Remote AP Bundle Desk Mount and Power  
Hospitality Access Point (R3V57A)**

<b>Regulatory</b>	<p>FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.</p>	<p>FCC/ISED CE Marked RED Directive 2014/53/EU EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU UL/IEC/EN 62368-1 EN 60601-1-1, EN60601-1-2 For more country-specific regulatory information and approvals, contact your HPE representative.</p>
<b>Warranty</b>	<p>Limited lifetime warranty. See the warranty duration.</p>	<p>Limited lifetime warranty. See the warranty duration.</p>
<b>Ports</b>	<p>1 x HPE Smart Rate RJ-45 port, auto-sensing link speed (100/1000/2500BASE-T) and MDI/MDX. 2.5 Gbps speed complies with NBASE-T and 802.3bz specifications 4 x 10/100/1000BASE-T RJ-45 ports, auto-sensing link speed and MDI/MDX</p>	<p>1 x HPE Smart Rate RJ-45 port, auto-sensing link speed (100/1000/2500BASE-T) and MDI/MDX. 2.5 Gbps speed complies with NBASE-T and 802.3bz specifications 4 x 10/100/1000BASE-T RJ-45 ports, auto-sensing link speed and MDI/MDX</p>

## Related Options

The following options are available for these series:

- HPE Aruba Networking AP-500H-MNTD2 RJ45 Ethernet Jack Desk Mount
- HPE Aruba Networking AP-503 (RW) 10-Pack Dual Radio 2x2:2 Wi-Fi 6 Campus Access Point
- HPE Aruba Networking AP-503 (US) 10-Pack Dual Radio 2x2:2 Wi-Fi 6 Campus Access Point
- HPE Aruba Networking AP-AC2-12B 12V/48W AC/DC Desktop Style Power Adapter with 2.1/5.5mm Connector
- HPE Aruba Networking AP-AC2-48C 48V/50W AC/DC Desktop Style Power Adapter with 1.35/3.5mm Connector
- HPE Aruba Networking AP-AC18-12B 12V/18W Worldwide Wall-Wart 2.1/5.5mm Connector Power Adapter
- HPE Aruba Networking AP-CBL-SERU Micro-USB TTL3.3V to USB2.0 AP Console Adapter Cable
- HPE Aruba Networking AP-MC-SFP Media Converter Module for WLAN Access Points
- HPE Aruba Networking AP-MNT-MP10-B1 Campus AP 10-Pack 15/16 Adj Flat Ceiling Rail Mount Bracket Kit
- HPE Aruba Networking AP-MOD-SERU Micro-USB TTL3.3V to RJ45 RS232 AP Console Adapter Module
- HPE Aruba Networking AP-POE-AFGE 1-Port GbE 802.3af 15.4W Midspan Injector
- HPE Aruba Networking AP-POE-ATSR 1-Port Smart Rate 802.3at 30W Midspan Injector
- HPE Aruba Networking AP-POE-BT10 1-port 10G 60W Midspan 802.3bt PoE Injector
- HPE Aruba Networking AP-POE-BTSR 1-Port Smart Rate 802.3bt 60W Midspan Injector
- HPE Aruba Networking PC-AC-ARG 250V/10A 1.8m C13 to IRAM 2073 (AR) AC Power Cord
- HPE Aruba Networking PC-AC-AUS 250V/10A 1.8m C13 to AS3112 (AU) AC Power Cord
- HPE Aruba Networking PC-AC-BR 250V/10A 1.8m C13 to NBR 14136 (BR) AC Power Cord
- HPE Aruba Networking PC-AC-CHN 250V/10A 1.8m C13 to GB2099 (CH) AC Power Cord
- HPE Aruba Networking PC-AC-DEN 250V/10A 1.8m C13 to AFSNIT 107-2-D1 (DK) AC Power Cord
- HPE Aruba Networking PC-AC-EC 250V/10A 1.8m C13 to CEE7/7 (EU) AC Power Cord
- HPE Aruba Networking PC-AC-IL 250V/10A 1.8m C13 to SI32 (IL) AC Power Cord
- HPE Aruba Networking PC-AC-IT 250V/10A 1.8m C13 to CEI 23-50 (IT) AC Power Cord
- HPE Aruba Networking PC-AC-JPN 125V/12A 1.8m C13 to JISC 8303 (JP) AC Power Cord
- HPE Aruba Networking PC-AC-KOR 250V/7A 1.8m C13 to KSC 8305 (KR) AC Power Cord
- HPE Aruba Networking PC-AC-NA 125V/10A 1.8m C13 to NEMA 5-15P (NA) AC Power Cord
- HPE Aruba Networking PC-AC-SWI 220V/10A 1.8m C13 to SEV 1011 (SW) AC Power Cord
- HPE Aruba Networking PC-AC-TW 125V/7A 1.8m C13 to CNS 10917 (TW) AC Power Cord
- HPE Aruba Networking PC-AC-UK 250V/10A 1.8m C13 to BS1363 (UK) AC Power Cord
- HPE Aruba Networking PC-AC-ZA 250V/10A 1.8m C13 to SANS 164-1 (ZA) AC Power Cord
- HPE Aruba Networking USB Extender Cable Kit
- HPE Aruba Networking USB LTE Modem for Access Points and Gateways

## Related Services

The following services are available for these series:

- HPE Aruba Networking Foundational Care 1Y 4HR Exch AP-503H TAA Unified SVC

- HPE Aruba Networking Foundational Care 1Y 4HR Exch AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch AP-503HR SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch AP-505H SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch AP-505HR SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T1 AP-503H TAA Unified SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T1 AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T1 AP-503HR SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T1 AP-505H SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T1 AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T1 AP-505HR SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T2 AP-503H TAA Unified SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T2 AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T2 AP-503HR SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T2 AP-505H SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T2 AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T2 AP-505HR SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch AP-503H TAA Unified SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch AP-503HR SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch AP-505H SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch AP-505HR SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Hardware Only AP-503H TAA Unified SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Hardware Only AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Hardware Only AP-503HR SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Hardware Only AP-505H SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Hardware Only AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Hardware Only AP-505HR SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T1 AP-503H TAA Unified SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T1 AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T1 AP-503HR SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T1 AP-505H SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T1 AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T1 AP-505HR SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T2 AP-503H TAA Unified SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T2 AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T2 AP-503HR SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T2 AP-505H SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T2 AP-505H TAA SVC

- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T2 AP-505HR SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch AP-503H TAA Unified SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch AP-503HR SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch AP-505H SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch AP-505HR SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T1 AP-503H TAA Unified SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T1 AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T1 AP-503HR SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T1 AP-505H SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T1 AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T1 AP-505HR SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T2 AP-503H TAA Unified SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T2 AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T2 AP-503HR SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T2 AP-505H SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T2 AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T2 AP-505HR SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch AP-503H TAA Unified SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch AP-503HR SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch AP-505H SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch AP-505HR SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Hardware Only AP-503H TAA Unified SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Hardware Only AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Hardware Only AP-503HR SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Hardware Only AP-505H SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Hardware Only AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Hardware Only AP-505HR SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T1 AP-503H TAA Unified SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T1 AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T1 AP-503HR SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T1 AP-505H SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T1 AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T1 AP-505HR SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T2 AP-503H TAA Unified SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T2 AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T2 AP-503HR SVC

- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T2 AP-505H SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T2 AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T2 AP-505HR SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch AP-503H TAA Unified SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch AP-503HR SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch AP-505H SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch AP-505HR SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T1 AP-503H TAA Unified SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T1 AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T1 AP-503HR SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T1 AP-505H SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T1 AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T1 AP-505HR SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T2 AP-503H TAA Unified SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T2 AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T2 AP-503HR SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T2 AP-505H SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T2 AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T2 AP-505HR SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch AP-503H TAA Unified SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch AP-503HR SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch AP-505H SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch AP-505HR SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Hardware Only AP-503H TAA Unified SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Hardware Only AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Hardware Only AP-503HR SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Hardware Only AP-505H SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Hardware Only AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Hardware Only AP-505HR SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T1 AP-503H TAA Unified SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T1 AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T1 AP-503HR SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T1 AP-505H SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T1 AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T1 AP-505HR SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T2 AP-503H TAA Unified SVC

- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T2 AP-503H Unified SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T2 AP-503HR SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T2 AP-505H SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T2 AP-505H TAA SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T2 AP-505HR SVC

# HPE Aruba Networking Services

HPE Aruba Networking services simplify and accelerate the network technology lifecycle, enabling your network to scale with better predictability and cost-effectiveness. Whether you operate your own network and need to improve your IT efficiencies, or you want to offload some of the burden, we have the services you need to reach your goals.

Learn more about what HPE Services - Aruba Networking has to offer at: [hpe.com/edge/services](https://hpe.com/edge/services)

## Support Services

Our support portfolio provides the essential support elements as well as proactive and preventive features to help you improve your team's productivity and get the most from your network. Our support customers benefit from faster issue resolution, simplified operations and efficiencies, and reduced network issues.

## Professional Services

With deep intellectual capital and purpose-built tools, our team delivers a range of standard and custom professional services designed to accelerate your value from HPE Aruba Networking technology.

### Project based services include:

- Planning, audit, and assessment
- Architecture review and design
- Deployment, migration, and knowledge transfer

### Annual subscription services include:

- Network optimization
- Intelligent Operations
- Customer Experience Management

Our [Education Services](#) allow your team to come up to speed quickly.

## GreenLake for Networking

Deliver innovative business outcomes by leveraging new ways to consume, deploy and [manage networks](#).

[For additional technical information, available models and options, please reference the QuickSpecs](#)

Visit [HPE.com](https://www.hpe.com)

[Chat now](#)

© Copyright 2026 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

Bluetooth is a trademark owned by its proprietor and used by Hewlett Packard Enterprise under license. All third-party marks are property of their respective owners.

Image may differ from the actual product.

[PSN1012684090USEN](#), April, 2026.

HEWLETT PACKARD ENTERPRISE

[hpe.com](https://www.hpe.com)

