

# HPE Aruba Networking 570 Series Outdoor Access Points



## What's new

- Outdoor Wi-Fi 6 access points provide up to 2.69 Gbps maximum aggregate data rate.
- Purpose-built to survive in the harshest outdoor environments and extreme temperatures (-40°C to +65°C).
- Ready for Internet of Things (IoT) with a built-in Bluetooth 5 and 802.15.4 radio that supports Zigbee.
- Client and RF optimization to match clients with the best available access point and reduce coverage gaps.
- Dynamic segmentation and policy enforcement firewalls (PEFs) automatically enforce consistent policies across networks, keeping users and devices secure.

## Overview

The HPE Aruba Networking 570 Series Outdoor Access Points provide high-performance Wi-Fi 6 wireless connectivity for harsh outdoor weather conditions such as parking lots, stadiums, and public venues. With Wi-Fi 6 capabilities, Bluetooth 5 and 802.15.4/Zigbee radios, and a maximum aggregate data rate of 2.69 Gbps, the 570 series delivers the speed and reliability needed to bring Wi-Fi 6 outdoors.

These Wi-Fi 6 outdoor access points are ready to survive high wind, extreme temperatures, and moisture and can be quickly deployed using zero touch provisioning. HPE Aruba Networking Central provides a single pane of glass for overseeing wired and wireless LANs, WANs, and VPNs. AI-powered analytics, end-to-end orchestration and automation, and advanced security features are built natively into the solution. The 570 series include a limited lifetime warranty.

# Features

## Reliable Outdoor Wi-Fi 6

HPE Aruba Networking 570 Series Outdoor Access Points support the Wi-Fi 6 standard, including features such as orthogonal frequency-division multiple access (OFDMA), bi-directional multi-user MIMO (MU-MIMO), and target wake time (TWT).

Purpose-built to withstand extreme temperatures, persistent moisture and precipitation and fully sealed to keep out airborne contaminants.

Weatherproof and temperature hardened, this series can handle temperatures ranging from -40°C to +65°C, including full sun deployments.

Enhanced wireless experience with HPE Aruba Networking ClientMatch technology removes sticky client issues by steering a client to the access point where it receives the best radio signal.

## IoT Ready

HPE Aruba Networking 570 Series Outdoor access points can serve as IoT platforms that bolster network security and provide coverage for a range of IoT devices without the need for network overlays.

It supports Bluetooth 5 and Zigbee wireless protocols through an integrated IoT radio, and third-party expansion with an integrated USB port.

Target wake time (TWT) improves the battery life of IoT devices.

HPE Aruba Networking Central Client Insights uses deep packet inspection to provide additional context and behavioral information that helps verify devices are receiving proper policy enforcement and continuously monitor for rogue devices.

## Simple Access With Enhanced Security

The HPE Aruba Networking 570 Series Outdoor Access Points offer enhanced security with dynamic segmentation to remove the time consuming and error-prone task of managing complex and static VLANs, ACLs, and subnets by dynamically assigning policies and keeping traffic protected and separated.

It offers stronger encryption and authentication with WPA3, protected credentials/keys storage for guest access with Enhanced Open, and user and IoT access policy enforcement firewalls (PEFs).

It simplifies policy enforcement by using the PEF to encapsulate all traffic from the access point to the gateway (or mobility controller) for end-to-end encryption and inspection.

For enhanced device assurance, HPE Aruba Networking access points include an installed trusted platform module (TPM).

| Technical specifications                          | HPE Aruba Networking 570 Series Outdoor Access Points  |
|---|--|
| <b>Deployment</b>                                 | Outdoor  |
| <b>Wi-Fi generation</b>                           | Wi-Fi 6 (802.11ax)   |
| <b>Wi-Fi radios</b>                               | 2x2 (2.4 GHz), 4x4 (5 GHz)   |
| <b>Radio configuration options</b>                | 2.4 GHz, 5 GHz   |
| <b>Max bandwidths and peak data rate per band</b> | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   |
| <b>Wi-Fi antenna</b>                              | AP-574: Four Nf connectors for external antenna (5 GHz operation), and two Nf connectors for external antenna (2.4 GHz operation)<br>AP-575: Built-in omni-directional antennas<br>AP-577: Built-in 90°H x 90°V directional antennas |
| <b>Ultra tri-band (UTB) filtering</b>             | No   |
| <b>IoT support</b>                                | Bluetooth 5 or 802.15.4 (Zigbee)   |
| <b>Integrated sensor</b>                          | No   |
| <b>Location services</b>                          | 802.11 FTM support   |
| <b>Cellular support</b>                           | No   |
| <b>Wired network interface</b>                    | 1 x 2.5GbE, 1 x 1GbE   |
| <b>MACsec support</b>                             | No   |
| <b>AP operating system support</b>                | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  |
| <b>AP management</b>                              | On-premises<br>Public Cloud<br>Virtual Private Cloud (VPC)<br>as a Service   |
| <b>Certifications</b>                             | CB scheme safety, cTUVus<br>UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm)        |

**Regulatory**

FCC/ISED  
 CE Marked  
 RED Directive 2014/53/EU  
 EMC Directive 2014/30/EU  
 Low Voltage Directive 2014/35/EU  
 IEC/EN/UL 62368-1  
 EN 60601-1-1, EN60601-1-2  
 Railway certs:  
 - EN 50155:2017—Railway applications  
 - EN 50121-1:2017—Railway EMC  
 - EN 50121-3-2 —Railway EMC  
 - EN 50121-4:2016 —Railway immunity  
 - IEC 61373 ed2:2008 —Railway shock and vibration  
 For more country-specific regulatory information and approvals, see your HPE representative.

**Warranty** Limited lifetime warranty. See the warranty duration.

**Weight**

AP-574 models: 2.4 kg  
 AP-575 models: 2.4 kg  
 AP-577 models: 2.1 kg

**Product dimensions**

AP-574 models: 19 x 23 x 24 cm (H x W x D)  
 AP-575 models: 27 x 23 x 24 cm (H x W x D)  
 AP-577 models: 13 x 23 x 22 cm (H x W x D)  
 Not including mounting bracket

**Ports**

E0: HPE Smart Rate port (RJ-45)  
 E1: 100/1000BASE-T (RJ-45)  
 USB-C console interface

Bluetooth is a trademark owned by its proprietor and used by Hewlett Packard Enterprise under license. All third-party marks are property of their respective owners.

## SKU comparison

|   | HPE Aruba Networking AP-574 (EG) 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H09A)                         | HPE Aruba Networking AP-574 (EG) TAA 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H24A)                     | HPE Aruba Networking AP-574 (ID) Dual Radio 4x4/2x2 802.11ax Connectorized Outdoor Access Point (S5D98A)                    |
|---|---|---|---|
| <b>Deployment</b>                                 | Outdoor   | Outdoor   | Outdoor   |
| <b>Wi-Fi generation</b>                           | Wi-Fi 6 (802.11ax)  | Wi-Fi 6 (802.11ax)  | Wi-Fi 6 (802.11ax)  |
| <b>Wi-Fi radios</b>                               | 2x2 (2.4 GHz), 4x4 (5 GHz)  | 2x2 (2.4 GHz), 4x4 (5 GHz)  | 2x2 (2.4 GHz), 4x4 (5 GHz)  |
| <b>Radio configuration options</b>                | 2.4 GHz, 5 GHz  | 2.4 GHz, 5 GHz  | 2.4 GHz, 5 GHz  |
| <b>Max bandwidths and peak data rate per band</b> | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps                                | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps                                | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps                                |
| <b>Wi-Fi antenna</b>                              | Four N(f) connectors for external antenna, 5 GHz operation, and two N(f) connectors for external antenna, 2.4 GHz operation | Four N(f) connectors for external antenna, 5 GHz operation, and two N(f) connectors for external antenna, 2.4 GHz operation | Four N(f) connectors for external antenna, 5 GHz operation, and two N(f) connectors for external antenna, 2.4 GHz operation |
| <b>Ultra tri-band (UTB) filtering</b>             | No  | No  | No  |
| <b>IoT support</b>                                | Bluetooth 5 or 802.15.4 (Zigbee)  | Bluetooth 5 or 802.15.4 (Zigbee)  | Bluetooth 5 or 802.15.4 (Zigbee)  |
| <b>Integrated sensor</b>                          | No  | No  | No  |
| <b>Location services</b>                          | 802.11 FTM support  | 802.11 FTM support  | 802.11 FTM support  |
| <b>Cellular support</b>                           | No  | No  | No  |
| <b>Wired network interface</b>                    | 1 x 2.5GbE, 1 x 1GbE  | 1 x 2.5GbE, 1 x 1GbE  | 1 x 2.5GbE, 1 x 1GbE  |
| <b>MACsec support</b>                             | No  | No  | No  |
| <b>AP operating system support</b>                | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10     | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10     | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10     |
| <b>AP management</b>                              | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service  | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service  | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service  |

|                       | HPE Aruba Networking AP-574 (EG) 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H09A)   | HPE Aruba Networking AP-574 (EG) TAA 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H24A)   | HPE Aruba Networking AP-574 (ID) Dual Radio 4x4/2x2 802.11ax Connectorized Outdoor Access Point (S5D98A)  |
|-----------------------|---|---|---|
| <b>Certifications</b> | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm)  | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm)  | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm)  |
| <b>Regulatory</b>     | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. |
| <b>Warranty</b>       | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   |
| <b>Ports</b>          | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  |

|   | HPE Aruba Networking AP-574 (IL) 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H10A)  | HPE Aruba Networking AP-574 (IL) TAA 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H25A)  | HPE Aruba Networking AP-574 (JP) 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H11A)  |
|---|--|--|--|
| <b>Deployment</b>                                 | Outdoor  | Outdoor  | Outdoor  |
| <b>Wi-Fi generation</b>                           | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   |
| <b>Wi-Fi radios</b>                               | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   |
| <b>Radio configuration options</b>                | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   |
| <b>Max bandwidths and peak data rate per band</b> | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   |
| <b>Wi-Fi antenna</b>                              | Four N(f) connectors for external antenna, 5 GHz operation, and two N(f) connectors for external antenna, 2.4 GHz operation  | Four N(f) connectors for external antenna, 5 GHz operation, and two N(f) connectors for external antenna, 2.4 GHz operation  | Four N(f) connectors for external antenna, 5 GHz operation, and two N(f) connectors for external antenna, 2.4 GHz operation  |
| <b>Ultra tri-band (UTB) filtering</b>             | No   | No   | No   |
| <b>IoT support</b>                                | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   |
| <b>Integrated sensor</b>                          | No   | No   | No   |
| <b>Location services</b>                          | 802.11 FTM support   | 802.11 FTM support   | 802.11 FTM support   |
| <b>Cellular support</b>                           | No   | No   | No   |
| <b>Wired network interface</b>                    | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   |
| <b>MACsec support</b>                             | No   | No   | No   |
| <b>AP operating system support</b>                | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  |
| <b>AP management</b>                              | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   |
| <b>Certifications</b>                             | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) |

|                   | HPE Aruba Networking AP-574 (IL) 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H10A)   | HPE Aruba Networking AP-574 (IL) TAA 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H25A)   | HPE Aruba Networking AP-574 (JP) 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H11A)   |
|-------------------|---|---|---|
| <b>Regulatory</b> | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. |
| <b>Warranty</b>   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   |
| <b>Ports</b>      | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  |

|   | HPE Aruba Networking AP-574 (JP) TAA 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H26A)  | HPE Aruba Networking AP-574 (RW) 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H12A)  | HPE Aruba Networking AP-574 (RW) TAA 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H27A)  |
|---|--|--|--|
| <b>Deployment</b>                                 | Outdoor  | Outdoor  | Outdoor  |
| <b>Wi-Fi generation</b>                           | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   |
| <b>Wi-Fi radios</b>                               | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   |
| <b>Radio configuration options</b>                | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   |
| <b>Max bandwidths and peak data rate per band</b> | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   |
| <b>Wi-Fi antenna</b>                              | Four N(f) connectors for external antenna, 5 GHz operation, and two N(f) connectors for external antenna, 2.4 GHz operation  | Four N(f) connectors for external antenna, 5 GHz operation, and two N(f) connectors for external antenna, 2.4 GHz operation  | Four N(f) connectors for external antenna, 5 GHz operation, and two N(f) connectors for external antenna, 2.4 GHz operation  |
| <b>Ultra tri-band (UTB) filtering</b>             | No   | No   | No   |
| <b>IoT support</b>                                | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   |
| <b>Integrated sensor</b>                          | No   | No   | No   |
| <b>Location services</b>                          | 802.11 FTM support   | 802.11 FTM support   | 802.11 FTM support   |
| <b>Cellular support</b>                           | No   | No   | No   |
| <b>Wired network interface</b>                    | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   |
| <b>MACsec support</b>                             | No   | No   | No   |
| <b>AP operating system support</b>                | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  |
| <b>AP management</b>                              | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   |
| <b>Certifications</b>                             | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) |

|                   | HPE Aruba Networking AP-574 (JP) TAA 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H26A)   | HPE Aruba Networking AP-574 (RW) 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H12A)   | HPE Aruba Networking AP-574 (RW) TAA 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H27A)   |
|-------------------|---|---|---|
| <b>Regulatory</b> | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. |
| <b>Warranty</b>   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   |
| <b>Ports</b>      | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  |

|   | HPE Aruba Networking AP-574 (US) 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H13A)  | HPE Aruba Networking AP-574 (US) TAA 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H28A)  | HPE Aruba Networking AP-575 (EG) 802.11ax 2x2/4x4 Dual Radio Integrated Omni Antennas Outdoor AP (R4H14A)  |
|---|--|--|--|
| <b>Deployment</b>                                 | Outdoor  | Outdoor  | Outdoor  |
| <b>Wi-Fi generation</b>                           | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   |
| <b>Wi-Fi radios</b>                               | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   |
| <b>Radio configuration options</b>                | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   |
| <b>Max bandwidths and peak data rate per band</b> | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   |
| <b>Wi-Fi antenna</b>                              | Four N(f) connectors for external antenna, 5 GHz operation, and two N(f) connectors for external antenna, 2.4 GHz operation  | Four N(f) connectors for external antenna, 5 GHz operation, and two N(f) connectors for external antenna, 2.4 GHz operation  | Built-in omni-directional antennas: 5 GHz (4.6 dBi), 2.4 GHz (4.0 dBi)   |
| <b>Ultra tri-band (UTB) filtering</b>             | No   | No   | No   |
| <b>IoT support</b>                                | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   |
| <b>Integrated sensor</b>                          | No   | No   | No   |
| <b>Location services</b>                          | 802.11 FTM support   | 802.11 FTM support   | 802.11 FTM support   |
| <b>Cellular support</b>                           | No   | No   | No   |
| <b>Wired network interface</b>                    | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   |
| <b>MACsec support</b>                             | No   | No   | No   |
| <b>AP operating system support</b>                | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  |
| <b>AP management</b>                              | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   |
| <b>Certifications</b>                             | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) |

|                   | HPE Aruba Networking AP-574 (US) 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H13A)   | HPE Aruba Networking AP-574 (US) TAA 802.11ax 2x2/4x4 Dual Radio 6xNf Connectorized Outdoor AP (R4H28A)   | HPE Aruba Networking AP-575 (EG) 802.11ax 2x2/4x4 Dual Radio Integrated Omni Antennas Outdoor AP (R4H14A)   |
|-------------------|---|---|---|
| <b>Regulatory</b> | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. |
| <b>Warranty</b>   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   |
| <b>Ports</b>      | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  |

|   | HPE Aruba Networking AP-575 (EGF1) TAA Dual Radio 2x2/4x4 Wi-Fi 6 Internal Omni Outdoor Access Point (R4H29A)  | HPE Aruba Networking AP-575 (ID) Dual Radio 4x4/2x2 802.11ax Int Omni Ants Outdoor Access Point (S5D93A)   | HPE Aruba Networking AP-575 (IL) 802.11ax 2x2/4x4 Dual Radio Integrated Omni Antennas Outdoor AP (R4H15A)  |
|---|--|--|--|
| <b>Deployment</b>                                 | Outdoor  | Outdoor  | Outdoor  |
| <b>Wi-Fi generation</b>                           | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   |
| <b>Wi-Fi radios</b>                               | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   |
| <b>Radio configuration options</b>                | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   |
| <b>Max bandwidths and peak data rate per band</b> | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   |
| <b>Wi-Fi antenna</b>                              | Built-in omni-directional antennas: 5 GHz (4.6 dBi), 2.4 GHz (4.0 dBi)   | Built-in omni-directional antennas: 5 GHz (4.6 dBi), 2.4 GHz (4.0 dBi)   | Built-in omni-directional antennas: 5 GHz (4.6 dBi), 2.4 GHz (4.0 dBi)   |
| <b>Ultra tri-band (UTB) filtering</b>             | No   | No   | No   |
| <b>IoT support</b>                                | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   |
| <b>Integrated sensor</b>                          | No   | No   | No   |
| <b>Location services</b>                          | 802.11 FTM support   | 802.11 FTM support   | 802.11 FTM support   |
| <b>Cellular support</b>                           | No   | No   | No   |
| <b>Wired network interface</b>                    | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   |
| <b>MACsec support</b>                             | No   | No   | No   |
| <b>AP operating system support</b>                | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  |
| <b>AP management</b>                              | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   |
| <b>Certifications</b>                             | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) |

|                   | HPE Aruba Networking AP-575 (EGF1) TAA Dual Radio 2x2/4x4 Wi-Fi 6 Internal Omni Outdoor Access Point (R4H29A)   | HPE Aruba Networking AP-575 (ID) Dual Radio 4x4/2x2 802.11ax Int Omni Ants Outdoor Access Point (S5D93A)  | HPE Aruba Networking AP-575 (IL) 802.11ax 2x2/4x4 Dual Radio Integrated Omni Antennas Outdoor AP (R4H15A)   |
|-------------------|---|---|---|
| <b>Regulatory</b> | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. |
| <b>Warranty</b>   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   |
| <b>Ports</b>      | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  |

|   | HPE Aruba Networking AP-575 (ILF1) TAA Dual Radio 2x2/4x4 Wi-Fi 6 Internal Omni Outdoor Access Point (R4H30A)  | HPE Aruba Networking AP-575 (JP) 802.11ax 2x2/4x4 Dual Radio Integrated Omni Antennas Outdoor AP (R4H16A)  | HPE Aruba Networking AP-575 (JP) TAA Dual Radio 2x2:2/4x4:4 802.11ax Integrated Omni Ant Outdoor AP (R4H31A)   |
|---|--|--|--|
| <b>Deployment</b>                                 | Outdoor  | Outdoor  | Outdoor  |
| <b>Wi-Fi generation</b>                           | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   |
| <b>Wi-Fi radios</b>                               | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   |
| <b>Radio configuration options</b>                | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   |
| <b>Max bandwidths and peak data rate per band</b> | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   |
| <b>Wi-Fi antenna</b>                              | Built-in omni-directional antennas: 5 GHz (4.6 dBi), 2.4 GHz (4.0 dBi)   | Built-in omni-directional antennas: 5 GHz (4.6 dBi), 2.4 GHz (4.0 dBi)   | Built-in omni-directional antennas: 5 GHz (4.6 dBi), 2.4 GHz (4.0 dBi)   |
| <b>Ultra tri-band (UTB) filtering</b>             | No   | No   | No   |
| <b>IoT support</b>                                | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   |
| <b>Integrated sensor</b>                          | No   | No   | No   |
| <b>Location services</b>                          | 802.11 FTM support   | 802.11 FTM support   | 802.11 FTM support   |
| <b>Cellular support</b>                           | No   | No   | No   |
| <b>Wired network interface</b>                    | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   |
| <b>MACsec support</b>                             | No   | No   | No   |
| <b>AP operating system support</b>                | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  |
| <b>AP management</b>                              | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   |
| <b>Certifications</b>                             | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) |

|                   | HPE Aruba Networking AP-575 (ILF1) TAA Dual Radio 2x2/4x4 Wi-Fi 6 Internal Omni Outdoor Access Point (R4H30A)   | HPE Aruba Networking AP-575 (JP) 802.11ax 2x2/4x4 Dual Radio Integrated Omni Antennas Outdoor AP (R4H16A)   | HPE Aruba Networking AP-575 (JP) TAA Dual Radio 2x2:2/4x4:4 802.11ax Integrated Omni Ant Outdoor AP (R4H31A)  |
|-------------------|---|---|---|
| <b>Regulatory</b> | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. |
| <b>Warranty</b>   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   |
| <b>Ports</b>      | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  |

|   | HPE Aruba Networking AP-575 (RW) 802.11ax 2x2/4x4 Dual Radio Integrated Omni Antennas Outdoor AP (R4H17A)  | HPE Aruba Networking AP-575 (RW) TAA Dual Radio 2x2:2/4x4:4 802.11ax Integrated Omni Ant Outdoor AP (R4H32A)   | HPE Aruba Networking AP-575 (US) 802.11ax 2x2/4x4 Dual Radio Integrated Omni Antennas Outdoor AP (R4H18A)  |
|---|--|--|--|
| <b>Deployment</b>                                 | Outdoor  | Outdoor  | Outdoor  |
| <b>Wi-Fi generation</b>                           | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   |
| <b>Wi-Fi radios</b>                               | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   |
| <b>Radio configuration options</b>                | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   |
| <b>Max bandwidths and peak data rate per band</b> | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   |
| <b>Wi-Fi antenna</b>                              | Built-in omni-directional antennas: 5 GHz (4.6 dBi), 2.4 GHz (4.0 dBi)   | Built-in omni-directional antennas: 5 GHz (4.6 dBi), 2.4 GHz (4.0 dBi)   | Built-in omni-directional antennas: 5 GHz (4.6 dBi), 2.4 GHz (4.0 dBi)   |
| <b>Ultra tri-band (UTB) filtering</b>             | No   | No   | No   |
| <b>IoT support</b>                                | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   |
| <b>Integrated sensor</b>                          | No   | No   | No   |
| <b>Location services</b>                          | 802.11 FTM support   | 802.11 FTM support   | 802.11 FTM support   |
| <b>Cellular support</b>                           | No   | No   | No   |
| <b>Wired network interface</b>                    | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   |
| <b>MACsec support</b>                             | No   | No   | No   |
| <b>AP operating system support</b>                | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  |
| <b>AP management</b>                              | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   |
| <b>Certifications</b>                             | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) |

|                   | HPE Aruba Networking AP-575 (RW) 802.11ax 2x2/4x4 Dual Radio Integrated Omni Antennas Outdoor AP (R4H17A)   | HPE Aruba Networking AP-575 (RW) TAA Dual Radio 2x2:2/4x4:4 802.11ax Integrated Omni Ant Outdoor AP (R4H32A)  | HPE Aruba Networking AP-575 (US) 802.11ax 2x2/4x4 Dual Radio Integrated Omni Antennas Outdoor AP (R4H18A)   |
|-------------------|---|---|---|
| <b>Regulatory</b> | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. |
| <b>Warranty</b>   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   |
| <b>Ports</b>      | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  |

|   | HPE Aruba Networking AP-575 (US) TAA Dual Radio 2x2:2/4x4:4 802.11ax Integrated Omni Ant Outdoor AP (R4H33A)   | HPE Aruba Networking AP-577 (EG) Dual Radio 2x2/4x4 Wi-Fi 6 Internal Directional Outdoor AP (R4H19A)   | HPE Aruba Networking AP-577 (EGF1) TAA Dual Radio 2x2/4x4 Wi-Fi 6 Internal Directional Outdoor AP (R4H34A)   |
|---|--|--|--|
| <b>Deployment</b>                                 | Outdoor  | Outdoor  | Outdoor  |
| <b>Wi-Fi generation</b>                           | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   |
| <b>Wi-Fi radios</b>                               | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   |
| <b>Radio configuration options</b>                | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   |
| <b>Max bandwidths and peak data rate per band</b> | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   |
| <b>Wi-Fi antenna</b>                              | Built-in omni-directional antennas: 5 GHz (4.6 dBi), 2.4 GHz (4.0 dBi)   | Built-in 90°H x 90°V directional antennas: 5 GHz (6.3 dBi), 2.4 GHz (6.4 dBi)  | Built-in 90°H x 90°V directional antennas: 5 GHz (6.3 dBi), 2.4 GHz (6.4 dBi)  |
| <b>Ultra tri-band (UTB) filtering</b>             | No   | No   | No   |
| <b>IoT support</b>                                | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   |
| <b>Integrated sensor</b>                          | No   | No   | No   |
| <b>Location services</b>                          | 802.11 FTM support   | 802.11 FTM support   | 802.11 FTM support   |
| <b>Cellular support</b>                           | No   | No   | No   |
| <b>Wired network interface</b>                    | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   |
| <b>MACsec support</b>                             | No   | No   | No   |
| <b>AP operating system support</b>                | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  |
| <b>AP management</b>                              | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   |
| <b>Certifications</b>                             | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) |

|                   | HPE Aruba Networking AP-575 (US) TAA Dual Radio 2x2:2/4x4:4 802.11ax Integrated Omni Ant Outdoor AP (R4H33A)  | HPE Aruba Networking AP-577 (EG) Dual Radio 2x2/4x4 Wi-Fi 6 Internal Directional Outdoor AP (R4H19A)  | HPE Aruba Networking AP-577 (EGF1) TAA Dual Radio 2x2/4x4 Wi-Fi 6 Internal Directional Outdoor AP (R4H34A)  |
|-------------------|---|---|---|
| <b>Regulatory</b> | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. |
| <b>Warranty</b>   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   |
| <b>Ports</b>      | EO: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | EO: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | EO: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  |

|   | HPE Aruba Networking AP-577 (ID) Dual Radio 4x4/2x2 802.11ax Integrated Directional Ants Outdoor AP (S5D94A)   | HPE Aruba Networking AP-577 (IL) Dual Radio 2x2/4x4 802.11ax Integ Directional Ant Outdoor AP (R4H20A)   | HPE Aruba Networking AP-577 (ILF1) TAA Dual Radio 2x2/4x4 Wi-Fi 6 Internal Directional Outdoor AP (R4H35A)   |
|---|--|--|--|
| <b>Deployment</b>                                 | Outdoor  | Outdoor  | Outdoor  |
| <b>Wi-Fi generation</b>                           | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   |
| <b>Wi-Fi radios</b>                               | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   |
| <b>Radio configuration options</b>                | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   |
| <b>Max bandwidths and peak data rate per band</b> | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   |
| <b>Wi-Fi antenna</b>                              | Built-in 90°H x 90°V directional antennas: 5 GHz (6.3 dBi), 2.4 GHz (6.4 dBi)  | Built-in 90°H x 90°V directional antennas: 5 GHz (6.3 dBi), 2.4 GHz (6.4 dBi)  | Built-in 90°H x 90°V directional antennas: 5 GHz (6.3 dBi), 2.4 GHz (6.4 dBi)  |
| <b>Ultra tri-band (UTB) filtering</b>             | No   | No   | No   |
| <b>IoT support</b>                                | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   |
| <b>Integrated sensor</b>                          | No   | No   | No   |
| <b>Location services</b>                          | 802.11 FTM support   | 802.11 FTM support   | 802.11 FTM support   |
| <b>Cellular support</b>                           | No   | No   | No   |
| <b>Wired network interface</b>                    | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   |
| <b>MACsec support</b>                             | No   | No   | No   |
| <b>AP operating system support</b>                | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  |
| <b>AP management</b>                              | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   |
| <b>Certifications</b>                             | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) |

|                   | HPE Aruba Networking AP-577 (ID) Dual Radio 4x4/2x2 802.11ax Integrated Directional Ants Outdoor AP (S5D94A)  | HPE Aruba Networking AP-577 (IL) Dual Radio 2x2/4x4 802.11ax Integ Directional Ant Outdoor AP (R4H20A)  | HPE Aruba Networking AP-577 (ILF1) TAA Dual Radio 2x2/4x4 Wi-Fi 6 Internal Directional Outdoor AP (R4H35A)  |
|-------------------|---|---|---|
| <b>Regulatory</b> | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. |
| <b>Warranty</b>   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   |
| <b>Ports</b>      | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  |

|   | HPE Aruba Networking AP-577 (JP) Dual Radio 2x2/4x4 802.11ax Integ Directional Ant Outdoor AP (R4H21A)   | HPE Aruba Networking AP-577 (JPF1) TAA Dual Radio 2x2/4x4 Wi-Fi 6 Internal Directional Outdoor AP (R4H36A)   | HPE Aruba Networking AP-577 (RW) Dual Radio 2x2/4x4 802.11ax Integ Directional Ant Outdoor AP (R4H22A)   |
|---|--|--|--|
| <b>Deployment</b>                                 | Outdoor  | Outdoor  | Outdoor  |
| <b>Wi-Fi generation</b>                           | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   |
| <b>Wi-Fi radios</b>                               | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   |
| <b>Radio configuration options</b>                | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   |
| <b>Max bandwidths and peak data rate per band</b> | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   |
| <b>Wi-Fi antenna</b>                              | Built-in 90°H x 90°V directional antennas: 5 GHz (6.3 dBi), 2.4 GHz (6.4 dBi)  | Built-in 90°H x 90°V directional antennas: 5 GHz (6.3 dBi), 2.4 GHz (6.4 dBi)  | Built-in 90°H x 90°V directional antennas: 5 GHz (6.3 dBi), 2.4 GHz (6.4 dBi)  |
| <b>Ultra tri-band (UTB) filtering</b>             | No   | No   | No   |
| <b>IoT support</b>                                | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   |
| <b>Integrated sensor</b>                          | No   | No   | No   |
| <b>Location services</b>                          | 802.11 FTM support   | 802.11 FTM support   | 802.11 FTM support   |
| <b>Cellular support</b>                           | No   | No   | No   |
| <b>Wired network interface</b>                    | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   |
| <b>MACsec support</b>                             | No   | No   | No   |
| <b>AP operating system support</b>                | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  |
| <b>AP management</b>                              | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   |
| <b>Certifications</b>                             | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) |

|                   | HPE Aruba Networking AP-577 (JP) Dual Radio 2x2/4x4 802.11ax Integ Directional Ant Outdoor AP (R4H21A)  | HPE Aruba Networking AP-577 (JPF1) TAA Dual Radio 2x2/4x4 Wi-Fi 6 Internal Directional Outdoor AP (R4H36A)  | HPE Aruba Networking AP-577 (RW) Dual Radio 2x2/4x4 802.11ax Integ Directional Ant Outdoor AP (R4H22A)  |
|-------------------|---|---|---|
| <b>Regulatory</b> | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. |
| <b>Warranty</b>   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   |
| <b>Ports</b>      | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  |

|   | HPE Aruba Networking AP-577 (RWF1)TAA Dual Radio 2x2/4x4 Wi-Fi 6 Internal Directional Outdoor AP (R4H37A)  | HPE Aruba Networking AP-577 (US) Dual Radio 2x2/4x4 802.11ax Integ Directional Ant Outdoor AP (R4H23A)   | HPE Aruba Networking AP-577 (USF1) TAA Dual Radio 2x2/4x4 Wi-Fi 6 Internal Directional Outdoor AP (R4H38A)   |
|---|--|--|--|
| <b>Deployment</b>                                 | Outdoor  | Outdoor  | Outdoor  |
| <b>Wi-Fi generation</b>                           | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   | Wi-Fi 6 (802.11ax)   |
| <b>Wi-Fi radios</b>                               | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   | 2x2 (2.4 GHz), 4x4 (5 GHz)   |
| <b>Radio configuration options</b>                | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   | 2.4 GHz, 5 GHz   |
| <b>Max bandwidths and peak data rate per band</b> | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   | 20/40 (2.4 GHz), 20/40/80/160 (5 GHz), peak data rate 2.69 Gbps, maximum data rate 5.39 Gbps   |
| <b>Wi-Fi antenna</b>                              | Built-in 90°H x 90°V directional antennas: 5 GHz (6.3 dBi), 2.4 GHz (6.4 dBi)  | Built-in 90°H x 90°V directional antennas: 5 GHz (6.3 dBi), 2.4 GHz (6.4 dBi)  | Built-in 90°H x 90°V directional antennas: 5 GHz (6.3 dBi), 2.4 GHz (6.4 dBi)  |
| <b>Ultra tri-band (UTB) filtering</b>             | No   | No   | No   |
| <b>IoT support</b>                                | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   | Bluetooth 5 or 802.15.4 (Zigbee)   |
| <b>Integrated sensor</b>                          | No   | No   | No   |
| <b>Location services</b>                          | 802.11 FTM support   | 802.11 FTM support   | 802.11 FTM support   |
| <b>Cellular support</b>                           | No   | No   | No   |
| <b>Wired network interface</b>                    | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   | 1 x 2.5GbE, 1 x 1GbE   |
| <b>MACsec support</b>                             | No   | No   | No   |
| <b>AP operating system support</b>                | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  | HPE Aruba Networking Operating System 8 and HPE Aruba Networking Instant OS<br>HPE Aruba Networking Operating System 10  |
| <b>AP management</b>                              | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   | On-premises; Public Cloud; Virtual Private Cloud (VPC); as a Service   |
| <b>Certifications</b>                             | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) | CB scheme safety, cTUVus UL2043 plenum rating<br>Wi-Fi Alliance certified 802.11a/b/g/n/<br>Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)<br>Wi-Fi CERTIFIED (tm) ac (with wave 2 features)<br>Wi-Fi CERTIFIED Location (tm) |

|                   | HPE Aruba Networking AP-577 (RWF1)TAA Dual Radio 2x2/4x4 Wi-Fi 6 Internal Directional Outdoor AP (R4H37A)   | HPE Aruba Networking AP-577 (US) Dual Radio 2x2/4x4 802.11ax Integ Directional Ant Outdoor AP (R4H23A)  | HPE Aruba Networking AP-577 (USF1) TAA Dual Radio 2x2/4x4 Wi-Fi 6 Internal Directional Outdoor AP (R4H38A)  |
|-------------------|---|---|---|
| <b>Regulatory</b> | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. | FCC/ISED<br>CE Marked<br>RED Directive 2014/53/EU<br>EMC Directive 2014/30/EU<br>Low Voltage Directive 2014/35/EU<br>IEC/EN/UL 62368-1<br>EN 60601-1-1, EN60601-1-2<br>Railway certs:<br>- EN 50155:2017—Railway applications<br>- EN 50121-1:2017—Railway EMC<br>- EN 50121-3-2 —Railway EMC<br>- EN 50121-4:2016 —Railway immunity<br>- IEC 61373 ed2:2008 —Railway shock and vibration<br>For more country-specific regulatory information and approvals, see your HPE representative. |
| <b>Warranty</b>   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   | Limited lifetime warranty. See the warranty duration.   |
| <b>Ports</b>      | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  | E0: HPE Smart Rate port (RJ-45)<br>E1: 100/1000BASE-T (RJ-45)<br>USB-C console interface  |

## Related Options

The following options are available for these series:

- HPE Aruba Networking ANT-4x4-D707 Dual-Band 60x60deg 7dBi Panel V/H/+/-45 4 Element MIMO Outdoor Ant
- HPE Aruba Networking AP-270-MNT-H3 Outdoor AP Hanging Dual-Tilt Pole/Wall Mounting Bracket
- HPE Aruba Networking AP-503 (RW) 10-Pack Dual Radio 2x2:2 Wi-Fi 6 Campus Access Point
- HPE Aruba Networking AP-503 (US) 10-Pack Dual Radio 2x2:2 Wi-Fi 6 Campus Access Point
- HPE Aruba Networking AP-OUT-MNT-V1A Outdoor AP Long Arm Pole/Wall Mounting Bracket
- HPE Aruba Networking AP-POE-ATSR 1-Port Smart Rate 802.3at 30W Midspan Injector
- HPE Aruba Networking AP-POE-BTSR 1-Port Smart Rate 802.3bt 60W Midspan Injector
- HPE Aruba Networking Otdr AP Covers/Glands 1pk M25/5pk M20 Cover and Gland/2pk M16 Cover Ground Kit
- HPE Aruba Networking Outdoor AP Metric to Standard M20 to 1/2 inch NPT 5-pk Thread Adapter
- HPE Aruba Networking PC-AC-ARG 250V/10A 1.8m C13 to IRAM 2073 (AR) AC Power Cord
- HPE Aruba Networking PC-AC-AUS 250V/10A 1.8m C13 to AS3112 (AU) AC Power Cord
- HPE Aruba Networking PC-AC-BR 250V/10A 1.8m C13 to NBR 14136 (BR) AC Power Cord
- HPE Aruba Networking PC-AC-CHN 250V/10A 1.8m C13 to GB2099 (CH) AC Power Cord
- HPE Aruba Networking PC-AC-DEN 250V/10A 1.8m C13 to AFSNIT 107-2-D1 (DK) AC Power Cord
- HPE Aruba Networking PC-AC-EC 250V/10A 1.8m C13 to CEE7/7 (EU) AC Power Cord
- HPE Aruba Networking PC-AC-IL 250V/10A 1.8m C13 to SI32 (IL) AC Power Cord
- HPE Aruba Networking PC-AC-IT 250V/10A 1.8m C13 to CEI 23-50 (IT) AC Power Cord
- HPE Aruba Networking PC-AC-JPN 125V/12A 1.8m C13 to JISC 8303 (JP) AC Power Cord
- HPE Aruba Networking PC-AC-KOR 250V/7A 1.8m C13 to KSC 8305 (KR) AC Power Cord
- HPE Aruba Networking PC-AC-NA 125V/10A 1.8m C13 to NEMA 5-15P (NA) AC Power Cord
- HPE Aruba Networking PC-AC-SWI 220V/10A 1.8m C13 to SEV 1011 (SW) AC Power Cord
- HPE Aruba Networking PC-AC-TW 125V/7A 1.8m C13 to CNS 10917 (TW) AC Power Cord
- HPE Aruba Networking PC-AC-UK 250V/10A 1.8m C13 to BS1363 (UK) AC Power Cord
- HPE Aruba Networking PC-AC-ZA 250V/10A 1.8m C13 to SANS 164-1 (ZA) AC Power Cord
- HPE Aruba Networking PD-9501-5GCO-AC 60W 802.3bt Smart Rate Otdr Surge Protection Midspan Injector
- HPE Aruba Networking PD-9501-5GCO-DC 60W 802.3bt Smart Rate Otdr Surge Protection Midspan Injector

## Related Services

The following services are available for these series:

- HPE Aruba Networking Foundational Care 1Y 4HR Exch AP-574 SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch AP-575 SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch AP-577 SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch AP-577 TAA SVC

- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T1 AP-574 SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T1 AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T1 AP-575 SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T1 AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T1 AP-577 SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T1 AP-577 TAA SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T2 AP-574 SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T2 AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T2 AP-575 SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T2 AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T2 AP-577 SVC
- HPE Aruba Networking Foundational Care 1Y 4HR Exch Vol T2 AP-577 TAA SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch AP-574 SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch AP-575 SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch AP-577 SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch AP-577 TAA SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Hardware Only AP-574 SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Hardware Only AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Hardware Only AP-575 SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Hardware Only AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Hardware Only AP-577 SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Hardware Only AP-577 TAA SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T1 AP-574 SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T1 AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T1 AP-575 SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T1 AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T1 AP-577 SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T1 AP-577 TAA SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T2 AP-574 SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T2 AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T2 AP-575 SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T2 AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T2 AP-577 SVC
- HPE Aruba Networking Foundational Care 1Y NBD Exch Vol T2 AP-577 TAA SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch AP-574 SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch AP-575 SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch AP-575 TAA SVC

- HPE Aruba Networking Foundational Care 3Y 4HR Exch AP-577 SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch AP-577 TAA SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T1 AP-574 SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T1 AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T1 AP-575 SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T1 AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T1 AP-577 SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T1 AP-577 TAA SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T2 AP-574 SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T2 AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T2 AP-575 SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T2 AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T2 AP-577 SVC
- HPE Aruba Networking Foundational Care 3Y 4HR Exch Vol T2 AP-577 TAA SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch AP-574 SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch AP-575 SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch AP-577 SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch AP-577 TAA SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Hardware Only AP-574 SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Hardware Only AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Hardware Only AP-575 SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Hardware Only AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Hardware Only AP-577 SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Hardware Only AP-577 TAA SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T1 AP-574 SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T1 AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T1 AP-575 SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T1 AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T1 AP-577 SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T1 AP-577 TAA SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T2 AP-574 SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T2 AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T2 AP-575 SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T2 AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T2 AP-577 SVC
- HPE Aruba Networking Foundational Care 3Y NBD Exch Vol T2 AP-577 TAA SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch AP-574 SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch AP-574 TAA SVC

- HPE Aruba Networking Foundational Care 5Y 4HR Exch AP-575 SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch AP-577 SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch AP-577 TAA SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T1 AP-574 SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T1 AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T1 AP-575 SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T1 AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T1 AP-577 SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T1 AP-577 TAA SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T2 AP-574 SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T2 AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T2 AP-575 SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T2 AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T2 AP-577 SVC
- HPE Aruba Networking Foundational Care 5Y 4HR Exch Vol T2 AP-577 TAA SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch AP-574 SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch AP-575 SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch AP-577 SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch AP-577 TAA SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Hardware Only AP-574 SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Hardware Only AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Hardware Only AP-575 SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Hardware Only AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Hardware Only AP-577 SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Hardware Only AP-577 TAA SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T1 AP-574 SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T1 AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T1 AP-575 SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T1 AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T1 AP-577 SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T1 AP-577 TAA SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T2 AP-574 SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T2 AP-574 TAA SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T2 AP-575 SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T2 AP-575 TAA SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T2 AP-577 SVC
- HPE Aruba Networking Foundational Care 5Y NBD Exch Vol T2 AP-577 TAA SVC

# HPE Aruba Networking Services

HPE Aruba Networking services simplify and accelerate the network technology lifecycle, enabling your network to scale with better predictability and cost-effectiveness. Whether you operate your own network and need to improve your IT efficiencies, or you want to offload some of the burden, we have the services you need to reach your goals.

Learn more about what HPE Services - Aruba Networking has to offer at: [hpe.com/edge/services](https://hpe.com/edge/services)

## Support Services

Our support portfolio provides the essential support elements as well as proactive and preventive features to help you improve your team's productivity and get the most from your network. Our support customers benefit from faster issue resolution, simplified operations and efficiencies, and reduced network issues.

## Professional Services

With deep intellectual capital and purpose-built tools, our team delivers a range of standard and custom professional services designed to accelerate your value from HPE Aruba Networking technology.

### Project based services include:

- Planning, audit, and assessment
- Architecture review and design
- Deployment, migration, and knowledge transfer

### Annual subscription services include:

- Network optimization
- Intelligent Operations
- Customer Experience Management

Our [Education Services](#) allow your team to come up to speed quickly.

## GreenLake for Networking

Deliver innovative business outcomes by leveraging new ways to consume, deploy and [manage networks](#).

[For additional technical information, available models and options, please reference the QuickSpecs](#)

Visit [HPE.com](https://www.hpe.com)

[Chat now](#)

© Copyright 2026 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

Image may differ from the actual product.

[PSN1012684098USEN](#), April, 2026.

HEWLETT PACKARD ENTERPRISE

[hpe.com](https://www.hpe.com)

