



Thank you for purchasing a Rosewill Case. Please read the instruction manual before use and retain for future reference.


PRODUCT OVERVIEW

Product Diagram



Dimensions: 230.00 x 493.00 x 445.30 mm (W x H x D)






INSTALLATION GUIDE


Please remove all packaging materials before proceeding to disassembly/assembly.

1. Open the Side Panel




2. Install Power Supply

Please make sure that the holes of power supply aim at case cooling vents when installing power supply (Figure 2).




3. Install Upper Plate Water Cooling

Installing water cooling radiator on the top panel. Remove the top panel.




Secure the water cooling radiator with screws and put the panel back.




4. Install Water Cooling in front of the Board

Place the water-cooled radiator on the front panel to ensure the correct direction of coolant flow.




Secure the radiator with screws to ensure it is stable and does not shake.




4

5. Install Motherboard and VGA Card

Make sure that the motherboard aims at the copper cylinder and fix motherboard with screw.




Make sure the VGA card aims at the motherboard slot and then fix VGA card and case with Screw.




6. Lock HDD Rack


Unscrew hard disk enclosure and install HDD with screws.



I/O PANEL



Accessory Kit





SPECIFICATIONS

Model	
Mod el Name	HELIUM FLOW
Specifications	
Form Factor	Mid Tower
Motherboard Compatibility	ITX / Micro ATX / ATX
Color	Black / White
Internal 3.5" Drive Bays	3
Internal 2.5" Drive Bays	3
Expansion Slots	7
Front Ports	1 x USB 3.1 Type-C / 2 x USB 3.0 / Audio
Fan Options	Front: 3 x 120mm, 3 x 140mm
	Top: 3 x 120mm, 2 x 140mm
	Rear: 1x 120mm
	* Fan configurations vary depending on the model.
Radiator Options	Front: 360mm / 280mm / 240mm
	Top: 360mm / 280mm / 240mm
	Rear: 120mm
Max GPU Length	390 mm
Max CPU Cooler Height	165 mm
Max PSU Length	270 mm



