




PRODUCT OVERVIEW

Product Diagram




Dimensions: 220.00 x 410.00 x 415.00 mm (W x H x D)





Accessory Kit




INSTALLATION GUIDE

Please remove all packaging materials before proceeding to disassembly/assembly.

1. Open the Side Panel


Remove the side panels first.






2. Install Power Supply

Please make sure that the holes of power supply aim at case cooling vents when installing power supply (Figure 2).



3. Install Add-on Card


Loosen the thumb screw to release the PCle slot door and bend to remove the slot covers. Install the add-on card and secure with screws (Figure 3).



3


4. Install Motherboard

Make sure that the motherboard aims at the copper cylinder and fix motherboard with screws (Figure 4).



5. Install VGA Card


make sure the VGA card aims at the motherboard slot and then fix VGA card with screws.



4


6. Install the Left Side Panel

Install the left side panel back into the case.




7. Lock SSD Rack


Unscrew hard disk enclosure and install SSD with screws.




8. Lock HDD/SSD Rack

Unscrew hard disk enclosure and install HDD/SSD with screws.





I/O PANEL



SPECIFICATIONS

Model	
Model Name	FBM-X3-650
Specifications	
Form Factor	Micro ATX
Motherboard Compatibility	Micro-ATX, Mini-ITX
Color	Black
Internal 3.5" Drive Bays	2
Internal 2.5" Drive Bays	3
Expansion Slots	4
Front Ports	2 x USB 3.0 / 1 x USB 2.0 / Audio
Fan Options	Front: 3 x 120mm, 2 x 140mm
	(2 x 140mm ARGB PWM Fan Included)
	Top: 2 x 120mm, 2 x 140mm
	Rear: 1x 120mm, (1 x 120mm ARGB PWM Fan Included)
Radiator Options	Front: 280mm / 240mm
	Top: 280mm / 240mm
	Rear: 120mm
Max GPU Length	350 mm
Max CPU Cooler Height	170mm
Power Supply	80 Plus Gold 650W Power Supply Included



