


PRODUCT OVERVIEW

Product Diagram





Rosewill RHUB-M14 – Ultimate Connectivity Hub


Designed for professionals and power users who demand seamless expansion for their USB 3.2 Gen 2 Type-C devices. Transform your laptop, phone, or tablet into a productivity powerhouse with:

- Crystal-Clear Displays: Dual HDMI + DP support for triple 4K@60Hz
- Blazing-Fast Data: USB-C 3.2 Gen 2 (10Gbps) and USB-A 3.2 Gen 2 (10Gbps) ports for rapid file transfers.
- Stable Networking: Gigabit Ethernet with 1000Mbps speeds for lag-free connections.
- All-in-One Convenience: SD/TF 3.0 card reader (dual-slot), 3.5mm audio, and 100W PD charging.


The sleek aluminum hub (92×40×4mm) works instantly with Windows, macOS, and Android, while the smart power switch optimizes energy use.




Contents



14-in-1 USB C
Docking Station



PD Power Adapter x 1






User Manual x 1

Note

- 1. The product has to be plugged into power to work, and the included DC power adapter can be used to supply power to the product.
- 2. Press the power button for 1 second to turn on the docking station; hold for 3 seconds to turn it off.

Dimensions (W x H x D): 92 x 125 x 40 mm (3.62" x 4.92" x 1.57")





- ① Host: Connect the USB 3.2 Type-C Laptop/Phone/Tablet.
- ② PD: Connect the power supply.
- ③ HDMI 1 & HDMI 2: Connect the display devices with HDMI Port.
- ④ DP: Connect the display device with DisplayPort.
- ⑤ Kensington lock.
- ⑥ RJ45: Connect the Ethernet patch cable.
- ⑦ USB 3.1 Type-A: Connect the USB peripherals and devices.

- ⑧ USB 3.1 Type-C: Connect the USB-C peripherals and devices.
- ⑨ USB 3.2 Type-A: Connect the USB peripherals and devices.
- ⑩ USB 3.2 Type-C: Connect the USB-C peripherals and devices.
- ⑪ 3.5MM Port: Connect your headset.
- ⑫ SD card slot: Compatible with the SD memory card.
- ⑬ Micro SD card slot: Compatible with the Micro SD / TF memory card.

SPECIFICATIONS

Model Name	RHUB-M14
Input Interface	USB-C (Supports DP Alt Mode)
Compatibility	Windows 10/11, macOS, Android
Dimension	92.2mm x 40.3 mm x 3.7mm
Weight	402g
Ports & Specifications	
Video Output	2× HDMI (4K@60Hz) 1× DP (4K@60Hz)
USB Data	2× USB-A 3.2 Gen 2 (10Gbps) 1× USB-C 3.2 Gen 2 (10Gbps) 2× USB-A 3.1 (5Gbps) 1× USB-C 3.1 (5Gbps)
Network	Gigabit Ethernet (1000Mbps)
Card Reader	SD/TF 3.0 (Dual-slot, simultaneous read)
Audio	3.5mm combo jack (supports Apple headphones)
Power Delivery	100W PD (Dynamic power adjustment)



Technical Support Information techsupport@rosewill.com 1-800-575-9885
Please register your product at www.rosewill.com for complete warranty information and support for your product.



RHUB-M14