



PRODUCT OVERVIEW




Product Diagram



Dimensions (W x H x D): 505 x 428 x 172 mm (19.88" x 16.85" x 6.77")



Accessory Kit


 x3 Motherboard Standoff	 x8 Screws	 x12 Screws	 x35 Screws
Motherboard	Power Supply	Motherboard/SSD	3.5" HDD

INSTALLATION GUIDE

Please remove all packaging materials before proceeding to disassembly/assembly.

1. Remove the Top Panel


Loosen the four screws on the side panel, then gently push it backward and remove the top panel.




2. Install the HDD

Loosen the screws to remove the HDD cage, install the hard drives into the cage, and then securely reinstall the HDD cage.


2



3. Install the Motherboard




4. Install the GPU



5. Install the PSU

5



SPECIFICATIONS

Model	
Model Name	RSV-R4012
Specifications	
Chassis Type	Rackmount
Form Factor	4U
Color	Black
Case Material	SGCC
Motherboard Compatibility	12" x 9.6" ATX, 11.2" x 8.2" Mini-ATX and below
Power Supply	Supports ATX power supply
Hot-Swap Drive Bays	-
External 3.5 Drive Bays	-
Internal 3.5" Drive Bays	12
Internal 2.5" Drive Bays	-
Expansion Slots	7
Front USB	2 x USB 3.0 / 1 x USB 3.2 Type C
80mm Fans	Rear: 2x 80mm fans
120mm Fans	Front: 2 x 120mm fans (2 x 120mm PWM fan included)
Physical Specification	505 x 428 x 172 mm / 19.88" x 16.85" x 6.77"



Technical Support Information techsupport @ rosewill.com 1-800-575-9885
Please register your product at www.rosewill.com for complete warranty information and support for your product.



RSV-R4012